JOURNAL OF NEMATOLOGY

Official Journal of

THE SOCIETY OF NEMATOLOGISTS

VOLUME 16 Quarterly in 1984

Editor-in-Chief LORIN R. KRUSBERG

Editorial Board

William W. Carter A. W. Johnson Stephen A. Lewis James G. Baldwin A. C. Triantaphyllou


Associate Editors

E. Cohn
B. R. Kerry
J. H. O'Bannon
D. P. Schmitt

E. Cohn
R. V. Anderson
David J. Chitwood
Harry K. Kaya
James L. Starr

Technical Editor

Kathleen K. Leabo



JOURNAL OF NEMATOLOGY

Official Journal of

THE SOCIETY OF NEMATOLOGISTS

VOLUME 16 Quarterly in 1984

Editor-in-Chief LORIN R. KRUSBERG

Editorial Board

William W. Carter A. W. Johnson Stephen A. Lewis James G. Baldwin A. C. Triantaphyllou

Associate Editors

E. Cohn
B. R. Kerry
J. H. O'Bannon
D. P. Schmitt

E. Cohn
R. V. Anderson
David J. Chitwood
Harry K. Kaya
James L. Starr

Technical Editor

Kathleen K. Leabo

CONTENTS JOURNAL OF NEMATOLOGY

Vol. 16, No. 1 January 1984
Nematode Damage Functions. The Problems of Experimental and Sampling Error: H. Ferris
Effect of the Entomogenous Nematode Neoaplectana carpocapsae on the Tachinid Parasite Compsilura concinnata (Diptera: Tachinidae): HARRY K. KAYA
Transport of Palmitic Acid Across the Tegument of the Entomophilic Nematode Romanomermis culicivorax: ROGER GORDON and IAN R. BURFORD 14
In Vitro Hatch and Survival of Heterodera glycines as Affected by Alachlor and Phenamiphos: A. L. Bostian, D. P. Schmitt, and K. R. Barker
Activity and Survival of Orrina phyllobia: Preliminary Investigations on the Effects of Solutes: A. F. Robinson, C. C. Orr, and C. E. Heintz
Effects of the Ionic Composition and Water Potential of Aqueous Solution on the Activity and Survival of Orrina phyllobia A. F. Robinson, C. C. Orr, and C. E. Heintz.
Transmission of the Pinewood Nematode, Bursaphelenchus xylophilus, to Slash Pine Trees and Log Bolts by a Cerambycid Beetle, Monochamus titillator, in Florida: M. A. Luzzi, R. C. Wilkinson, and A. C. Tarjan
Early Growth of Soybean as Altered by <i>Heterodera glycines</i> , Phenamiphos and/or Alachlor: A. L. Bostian, D. P. Schmitt, and K. R. Barker 41
Nematode Population Attrition and Histopathology of Heterodera glycines— Soybean Associations: J. R. Acedo, V. H. Dropkin, and V. D. Luedders
Phytotoxin Production in Bursaphelenchus xylophilus-Infected Pinus sylves- tris: F. Shaheen, R. E. K. Winter, and R. I. Bolla
Pterotylenchus cecidogenus n. gen., n. sp., a New Stem-gall Nematode Parasitizing Desmodium ovalifolium in Colombia: M. R. Siddiqi and J. M. Lenné.
Occurrence of Aphelenchoides besseyi in Louisiana Rice Seed and Its Interaction with Sclerotium oryzae in Selected Cultivars: EDWARD C. Mc-GAWLEY, M. C. RUSH, and J. P. HOLLIS
Histopathology and Host Range Studies of the Redwood Nematode Rhizonema sequoiae: I. CID DEL PRADO VERA and B. F. LOWNSBERY
Postembryonic Development of the Redwood Nematode, Rhizonema sequoiae (Nemata: Heteroderidae): I. CID DEL PRADO VERA, A. R. MAGGENTI, and B. F. LOWNSBERY.
Description of Males of Heterodera zeae: P. A. HUTZELL 83

	٠	
- 16		

Some Factors Affecting Survival of Desiccation by Infective Juveniles of <i>Orrina phyllobia</i> : A. F. Robinson, C. C. Orr, and C. E. Heintz	
Application of Isoelectric Focusing to the Taxonomic Identification of <i>Meloidogyne</i> spp.: Edgar C. Lawson, III, George E. Carter, Jr., and Stephen A. Lewis.	ç
Nodulation of Soybeans as Affected by Half-root Infection with <i>Heterodera glycines</i> : M. P. Ko, K. R. Barker, and JS. Huang	9
Histopathology of Okra and Ridgeseed Spurge Infected with <i>Meloidodera</i> charis: Charles M. Heald	10
RESEARCH NOTES Inhibitory Effect of Watermelon Mosaic Virus on Meloidogyne javanica (Treub) Chitwood Infecting Cucurbita pepo L.: S. P. Huang and E. Y. Chu	10
An Observation Chamber Technique for Evaluating Potential Biocontrol Agents of <i>Globodera rostochiensis</i> : J. A. LaMondia and B. B. Brodie	11
Seasonal Variation of a <i>Meloidogyne exigua</i> Population in a Coffee Plantation: S. P. Huang, P. E. de Souza, and V. P. Campos	11
Vol. 16, No. 2 April 1	98
Vol. 16, No. 2 Anhydrobiosis in Five Species of Plant Associated Nematodes: M. SAEED and J. ROESSNER	98 11
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. SAEED	
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. SAEED and J. ROESSNER	11
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. SAEED and J. ROESSNER	11
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. Saeed and J. Roessner Influence of Urea, Hydroxyurea, and Thiourea on Meloidogyne javanica and Infected Excised Tomato Roots in Culture: I. Glazer and D. Orion Protocylindrocorpus dendrophilus n. sp. (Nematoda: Cylindrocorpidae) Associated with Pine Wood Borings: D. N. Kinn Relationship Between Heterodera schachtii, Meloidogyne hapla, and Nacobbus aberrans on Sugarbeet: R. N. Inserra, G. D. Griffin, N. Vovlas, J.	111 122 133
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. Saeed and J. Roessner Influence of Urea, Hydroxyurea, and Thiourea on Meloidogyne javanica and Infected Excised Tomato Roots in Culture: I. Glazer and D. Orion Protocylindrocorpus dendrophilus n. sp. (Nematoda: Cylindrocorpidae) Associated with Pine Wood Borings: D. N. Kinn Relationship Between Heterodera schachtii, Meloidogyne hapla, and Nacobbus aberrans on Sugarbeet: R. N. Inserra, G. D. Griffin, N. Vovlas, J. L. Anderson, and E. D. Kerr	111 12 13 14
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. SAEED and J. ROESSNER. Influence of Urea, Hydroxyurea, and Thiourea on Meloidogyne javanica and Infected Excised Tomato Roots in Culture: I. GLAZER and D. ORION Protocylindrocorpus dendrophilus n. sp. (Nematoda: Cylindrocorpidae) Associated with Pine Wood Borings: D. N. KINN Relationship Between Heterodera schachtii, Meloidogyne hapla, and Nacobbus aberrans on Sugarbeet: R. N. Inserra, G. D. Griffin, N. Vovlas, J. L. Anderson, and E. D. Kerr Pathogenicity of Criconemella curvata to Alfalfa: Gregory R. Noel and B. F. Lownsbery Resistant Germplasm in Gossypium Species and Related Plants to Rotylen-	111 122 133 144 144
Anhydrobiosis in Five Species of Plant Associated Nematodes: M. Saeed and J. Roessner Influence of Urea, Hydroxyurea, and Thiourea on Meloidogyne javanica and Infected Excised Tomato Roots in Culture: I. Glazer and D. Orion Protocylindrocorpus dendrophilus n. sp. (Nematoda: Cylindrocorpidae) Associated with Pine Wood Borings: D. N. Kinn Relationship Between Heterodera schachtii, Meloidogyne hapla, and Nacobbus aberrans on Sugarbeet: R. N. Inserra, G. D. Griffin, N. Vovlas, J. L. Anderson, and E. D. Kerr Pathogenicity of Criconemella curvata to Alfalfa: Gregory R. Noel and B. F. Lownsbery Resistant Germplasm in Gossypium Species and Related Plants to Rotylenchulus reniformis: Choi-Pheng Yik and Wray Birchfield Nematicides and Nonconventional Soil Amendments in the Management	111 122 133 144

J. J. CHITAMBAR and D. J. RASKI	166
Comparative Morphometrics of Eggs and Second-Stage Juveniles of Heterodera schachtii and a Race of H. trifolii Parasitic on Sugarbeet in The Netherlands: Arnold E. Steele and Linda Whitehand	171
Distributed Egg Production Functions for <i>Meloidogyne arenaria</i> in Grape Varieties and Consideration of the Mechanistic Relationship between Plant and Parasite: H. Ferris, S. M. Schneider, and M. C. Semenoff	178
Meloidogyne microcephala n. sp. (Meloidogynidae), a Root-knot Nematode from Thailand: Gean M. Cliff and Hedwig Hirschmann	183
Hoplolaimoidea (Nematoda: Tylenchida) from the Aleutian Islands with Descriptions of Four New Species: E. C. Bernard	194
Redescription of Xiphinema americanum Cobb, 1913 with Comments on Its Morphometric Variations: F. Lamberti and A. Morgan Golden	204
RESEARCH NOTES A New Pathotype of Root-knot Nematode on Grape Rootstocks: D. W. Cain, M. V. McKenry, and R. E. Tarailo	207
Nematode Persistence after Fumigation: A Methodological Problem: R. McSorley and J. L. Parrado	209
ERRATUM	212
Vol. 16, No. 3 July 1	984
Vol. 16, No. 3 Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. BASNET AND A. JAYAPRAKASH	
Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on	213
Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. Basnet and A. Jayaprakash Ecology and Control of Cereal Cyst Nematode (Heterodera avenae) in South-	213 216
 Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. Basnet and A. Jayaprakash Ecology and Control of Cereal Cyst Nematode (Heterodera avenae) in Southern Australia: R. H. Brown Morphological and Histochemical Changes Occurring during the Life-span of Root-tip Galls on Lolium perenne Induced by Longidorus elongatus: B. 	213 216 223
 Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. Basnet and A. Jayaprakash Ecology and Control of Cereal Cyst Nematode (Heterodera avenae) in Southern Australia: R. H. Brown Morphological and Histochemical Changes Occurring during the Life-span of Root-tip Galls on Lolium perenne Induced by Longidorus elongatus: B. S. Griffiths and W. M. Robertson Joint Influence of Pratylenchus penetrans (Nematoda) and Leptinotarsa decemlineata (Insecta) on Solanum tuberosum Productivity and Pest Popu- 	213 216 223 230
 Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. Basnet and A. Jayaprakash Ecology and Control of Cereal Cyst Nematode (Heterodera avenae) in Southern Australia: R. H. Brown Morphological and Histochemical Changes Occurring during the Life-span of Root-tip Galls on Lolium perenne Induced by Longidorus elongatus: B. S. Griffiths and W. M. Robertson Joint Influence of Pratylenchus penetrans (Nematoda) and Leptinotarsa decemlineata (Insecta) on Solanum tuberosum Productivity and Pest Population Dynamics: J. W. Noling, G. W. Bird, and E. J. Grafius Rhyssocolpus arcticus n. sp. (Nematoda: Nordiidae) from Ellesmere Island and a Redescription of Lindseyus costatus Ferris and Ferris, 1973 (Nematoda: Redescription of Lindseyus costatus Ferris and Ferris, 1973 (Nematoda: Nordiidae) 	213 216 223 230 235
 Heterodera raskii n. sp. (Heteroderidae: Tylenchina), a Cyst Nematode on Grass, from Hyderabad, India: C. P. Basnet and A. Jayaprakash Ecology and Control of Cereal Cyst Nematode (Heterodera avenae) in Southern Australia: R. H. Brown Morphological and Histochemical Changes Occurring during the Life-span of Root-tip Galls on Lolium perenne Induced by Longidorus elongatus: B. S. Griffiths and W. M. Robertson Joint Influence of Pratylenchus penetrans (Nematoda) and Leptinotarsa decemlineata (Insecta) on Solanum tuberosum Productivity and Pest Population Dynamics: J. W. Noling, G. W. Bird, and E. J. Graffus Rhyssocolpus arcticus n. sp. (Nematoda: Nordiidae) from Ellesmere Island and a Redescription of Lindseyus costatus Ferris and Ferris, 1973 (Nematoda: Roqueidae) from Quebec, Canada: B. A. Ebsary Population Development and Pathogenicity of Meloidogyne javanica on Fluecured Tobacco as Influenced by Ethoprop and DD: J. R. Rich, C. 	213 216 223 230 235

Gastromermis kolleonis n. sp. (Nematoda: Mermithidae), a Parasite of Midges (Chironomus sp. Chironomidae) from Argentina: MARIA M. A. DE DOUCET and GEORGE O. POINAR, JR.
Observations on the Mode of Parasitism and Histopathology of <i>Meloidodera</i> floridensis and <i>Verutus volvingentis</i> (Heteroderidae): E. COHN, D. T. KAP-LAN, and R. P. ESSER
Description of <i>Meloidoderita polygoni</i> n. sp. (Nematoda: Meloidoderitidae) from USA and Observations on <i>M. kirjanovae</i> from Israel and USSR: A. MORGAN GOLDEN and ZAFAR A. HANDOO
Anhydrobiosis in Pratylenchus penetrans: J. L. Townshend
Tolerance to Heterodera glycines in Soybean: H. R. Boerma and R. S. Hussey
Effect of Phytotoxin from Nematode-induced Pinewilt on Bursaphelen- chus xylophilus and Ceratocystis ips: R. Bolla, F. Shaheen, and R. E. K. Winter
Changes in the Reproduction of <i>Heterodera glycines</i> on Different Lines of <i>Glycine max</i> : L. D. Young
Effect of Soil Temperature on Reproduction of Meloidogyne chitwoodi and M. hapla Alone and in Combination on Potato and M. chitwoodi on Rotation Plants: J. H. O'BANNON and G. S. SANTO
Distribution of Tylenchulus semipenetrans in a Texas Grapefruit Orchard: R. M. Davis
Response of Peach Seedlings to Infection by the Root Lesion Nematode Pratylenchus penetrans under Controlled Conditions: J. W. POTTER, V. A. DIRKS, P. W. JOHNSON, T. H. A. OLTHOF, R. E. C. LAYNE, and M. M. MCDONNELL
Crop Rotation and Races of Meloidogyne incognita in Cotton Root-knot Management: T. L. KIRKPATRICK and J. N. SASSER
Nematostatic Activity of Oxamyl and N,N-Dimethyl-1-cyanoformamide (DMCF) on <i>Meloidogyne incognita</i> Juveniles: B. D. McGarvey, J. W. Potter, and M. Chiba
Comparative Electrophoretic Analyses of Soluble Proteins from Heterodera glycines Races 1–4 and Three Other Heterodera Species: RONALD F. POZDOL and GREGORY R. NOEL
RESEARCH NOTES Preparing Nematode Permanent Mounts with Adhesive Tapes: C. S. Huang, C. Bittencourt, and E. F. S. Mota Silva
Comparison of Five Methods for Measuring Nematode Volume: A. F. ROBINSON
Technique for Axenizing Nematodes: L. R. KRUSBERG and S. SARDA-NELLI

984	Vol. 16, No. 4 October 1
349	Pathogenicity and Reproduction of <i>Hoplolaimus columbus</i> and <i>Meloidogyne incognita</i> on 'Davis' Soybean: J. A. Appel and S. A. Lewis
355	Effect of Temperature on the Development of <i>Thelastoma bulhoesi</i> (Oxyurata, Thelastomatida) and Other Nematodes: Gary L. McCallister and Gerald D. Schmidt
360	New and Known Species of <i>Pratylenchus</i> Filipjev, 1936 (Nematoda: Pratylenchidae) from Haryana, India, with Remarks on Intraspecific Variations: Harish K. Bajaj and D. S. Bhatti
368	Variability in Reproduction of Four Races of <i>Meloidogyne incognita</i> on Two Cultivars of Soybean: T. A. Swanson and S. D. Van Gundy
371	Heydenius dominicus n. sp. (Nematoda: Mermithidae), a Fossil Parasite from the Dominican Republic: George O. Poinar, Jr.
375	Reproductive Isolation and Taxonomic Differentiation of Romanomermis culicivorax Ross and Smith, 1976 and R. communensis Galloway and Brust, 1979: J. Curran and J. M. Webster
379	Nematode Population and Community Dynamics in Soybean–Wheat Cropping and Tillage Regimes: Sonya Mobbs Baird and Ernest C. Bernard
386	A New Gall-Forming Species of Anguina Scopoli, 1777 (Nemata: Anguinidae) on Bluegrass, Poa annua L., from the Coast of California: I. CID DEL PRADO VERA and A. R. MAGGENTI
393	RESEARCH NOTES Influence of Nacobbus aberrans Densities on Growth of Sugarbeet and Kochia in Pots: R. N. Inserra, M. di Vito, and H. Ferris
396	Cropping Effects of Marigolds, Corn, and Okra on Population Levels of Meloidogyne javanica and on Carrot Yields: S. P. Huang
398	Pararotylenchus hopperi nomen novum: J. G. BALDWIN and A. H. BELL
399	Rangeland Grasses as Hosts of Meloidogyne chitwoodi: G. D. GRIFFIN, R. N. INSERRA, and N. VOVLAS
402	Flowering Delay in Flue-cured Tobacco Infected with <i>Meloidogyne</i> Species: J. R. Rich and K. R. Barker

Expression of Resistance in Peanuts to Pratylenchus brachyurus: Impact on Screening for Resistance: J. L. Stark

404